

Natura 2000 Site Code	BALLYMURPHY Natura 2000 Sites	Natura 2000 Sites Qualifying features	Key Environmental conditions to support site integrity	Possible impacts arising from the Sub-Basin Plans	Is there a risk of: "In-combination" effects from the measures outlined in sub-basin plans; Possible Impacts from other Policy, Plans & Programmes (PPP); "In-combination" effects from the Draft Sub-Basin Plans & other PPPs?	Measure/Mitigation
IE0000770	Blackstairs Mountains	European dry heath (all sub-types) (84%)	<ul style="list-style-type: none"> To maintain the Annex I habitats for which the cSAC has been selected at favourable conservation status; European dry heaths (all sub-types) (84% area of the site in mosaic with Dry Grassland and Exposed Rock) and North Atlantic Wet Heaths with Erica tetralix (1% area of the site). To maintain the extent, biodiversity and species richness of the site. 	See Tables 3.4a (for SACs) and 3.4b (for SPAs) regarding potential impacts.	None Identified	See Tables 3.4a (for SACs) and 3.4b (for SPAs) regarding potential impacts. See Tables 3.5a & 3.5b (for SACs) and Table 3.6 (for SPAs) for assessment of significance. See Table 3.7a, 3.7b, 3.7c and 3.7d for Mitigation.
		North Atlantic Wet Heath with Erica tetralix (1%)	<ul style="list-style-type: none"> To establish effective liaison and co-operation with landowners, legal users and relevant authorities Management Issues All terrain vehicles (ATVs) Burning Decline of the Red Grouse population Grazing Erosion Group water schemes Main strategies to achieve objectives Maintain sustainable levels of grazing Control burning <ul style="list-style-type: none"> Control use of All terrain vehicles Monitor status of Red Grouse population Maintain notable species within the site Liaison with stakeholders 	See Tables 3.4a (for SACs) and 3.4b (for SPAs) regarding potential impacts.	None Identified	See Tables 3.4a (for SACs) and 3.4b (for SPAs) regarding potential impacts. See Tables 3.5a & 3.5b (for SACs) and Table 3.6 (for SPAs) for assessment of significance. See Table 3.7a, 3.7b, 3.7c and 3.7d for Mitigation.
IE0000781	Slaney River Valley	1130 Estuaries	To maintain the Annex I habitats for which the cSAC has been selected at favourable conservation status. Main Threats and Impacts: Professional fishing, taking for fauna, taking for flora, water pollution, climate change, change in species composition.	See Tables 3.4a (for SACs) and 3.4b (for SPAs) regarding potential impacts.	None Identified	See Tables 3.4a (for SACs) and 3.4b (for SPAs) regarding potential impacts. See Tables 3.5a & 3.5b (for SACs) and Table 3.6 (for SPAs) for assessment of significance. See Table 3.7a, 3.7b, 3.7c and 3.7d for Mitigation.
		1140 Mudflats and sandflats not covered by seawater at low tide	To maintain the Annex II species for which the cSAC has been selected at favourable conservation status. Main Threats and Impacts: Aquaculture, professional fishing, bait digging, removal of fauna, aggregate extraction;(removal of beach material, industrialization, Port/Marina, communications networks, water pollution, reclamation of land, coastal protection works, invasion by a species	See Tables 3.4a (for SACs) and 3.4b (for SPAs) regarding potential impacts.	None Identified	See Tables 3.4a (for SACs) and 3.4b (for SPAs) regarding potential impacts. See Tables 3.5a & 3.5b (for SACs) and Table 3.6 (for SPAs) for assessment of significance. See Table 3.7a, 3.7b, 3.7c and 3.7d for Mitigation.
		3260 Water courses of plain to montane levels with the Ranunculus fluitantis and Callitriche-Batrachion vegetation	To maintain the extent, species richness and biodiversity of the entire site.	See Tables 3.4a (for SACs) and 3.4b (for SPAs) regarding potential impacts.	None Identified	See Tables 3.4a (for SACs) and 3.4b (for SPAs) regarding potential impacts. See Tables 3.5a & 3.5b (for SACs) and Table 3.6 (for SPAs) for assessment of significance. See Table 3.7a, 3.7b, 3.7c and 3.7d for Mitigation.
		1103 <i>Alosa fallax</i>	To establish effective liaison and co-operation with landowners, legal users and relevant authorities. Main Threats and Impacts: Man-made barriers to migration, eutrophication, leisure fishing, drift netting	See Tables 3.4a (for SACs) and 3.4b (for SPAs) regarding potential impacts.	None Identified	See Tables 3.4a (for SACs) and 3.4b (for SPAs) regarding potential impacts. See Tables 3.5a & 3.5b (for SACs) and Table 3.6 (for SPAs) for assessment of significance. See Table 3.7a, 3.7b, 3.7c and 3.7d for Mitigation.
		1099 <i>Lampetra fluviatilis</i>		See Tables 3.4a (for SACs) and 3.4b (for SPAs) regarding potential impacts.	None Identified	See Tables 3.4a (for SACs) and 3.4b (for SPAs) regarding potential impacts. See Tables 3.5a & 3.5b (for SACs) and Table 3.6 (for SPAs) for assessment of significance. See Table 3.7a, 3.7b, 3.7c and 3.7d for Mitigation.
		1096 <i>Lampetra planeri</i>	Main threats and Impacts: channel maintenance, barriers, Passage obstruction, Gross pollution and specific pollutants	See Tables 3.4a (for SACs) and 3.4b (for SPAs) regarding potential impacts.	None Identified	See Tables 3.4a (for SACs) and 3.4b (for SPAs) regarding potential impacts. See Tables 3.5a & 3.5b (for SACs) and Table 3.6 (for SPAs) for assessment of significance. See Table 3.7a, 3.7b, 3.7c and 3.7d for Mitigation.
		1095 <i>Petromyzon marinus</i>	Main Threats and Impacts: Obstructions, Impassible weirs, Groos Pollution,	See Tables 3.4a (for SACs)	None Identified	See Tables 3.4a (for SACs) and 3.4b (for SPAs) regarding potential impacts. See Tables 3.5a & 3.5b (for SACs) and Table 3.6 (for SPAs) for assessment of significance. See Table 3.7a, 3.7b, 3.7c and 3.7d for Mitigation.
		1102 <i>Alosa alosa</i>	Main Threats and Impacts: Man-made barriers to migration, eutrophication, leisure fishing, drift netting	See Tables 3.4a (for SACs) and 3.4b (for SPAs) regarding potential impacts.	None Identified	See Tables 3.4a (for SACs) and 3.4b (for SPAs) regarding potential impacts. See Tables 3.5a & 3.5b (for SACs) and Table 3.6 (for SPAs) for assessment of significance. See Table 3.7a, 3.7b, 3.7c and 3.7d for Mitigation.
		1106 <i>Salmo salar</i>		See Tables 3.4a (for SACs)	None Identified	See Tables 3.4a (for SACs) and 3.4b (for SPAs) regarding potential impacts. See Tables 3.5a & 3.5b (for SACs) and Table 3.6 (for SPAs) for assessment of significance. See Table 3.7a, 3.7b, 3.7c and 3.7d for Mitigation.
		1355 <i>Lutra lutra</i>	Main Threats and Impacts: Use of pesticides, fertilization, removal of hedges and copses, removal of scrub, felling of native or mixed woodland, professional fishing (including lobster pots and fyke nets), hunting, trapping, poisoning, poaching, sand and gravel extraction, mechanical removal of peat, urbanised areas, human habitation, continuous urbanization, industrial or commercial areas, discharges, disposal of household waste,disposal of industrial waste, disposal of inert materials, other discharges, routes, autoroutes, bridge, viaduct, water pollution, other forms or mixed forms of pollution, infilling of ditches, dykes, ponds, pools, marshes or pits, drainage, management of aquatic and bank vegetation for drainage purposes, removal of sediments,canalization or modifying structures of inland water course	See Tables 3.4a (for SACs) and 3.4b (for SPAs) regarding potential impacts.	None Identified	See Tables 3.4a (for SACs) and 3.4b (for SPAs) regarding potential impacts. See Tables 3.5a & 3.5b (for SACs) and Table 3.6 (for SPAs) for assessment of significance. See Table 3.7a, 3.7b, 3.7c and 3.7d for Mitigation.

		1029	<i>Margaritifera margaritifera</i> (Incorporates the Dereen <i>Margaritifera</i> catchment which will require additional measures from the Sub-Basin Plan)		See Tables 3.4a (for SACs) and 3.4b (for SPAs) regarding potential impacts.	None Identified	See Tables 3.4a (for SACs) and 3.4b (for SPAs) regarding potential impacts. See Tables 3.5a & 3.5b (for SACs) and Table 3.6 (for SPAs) for assessment of significance. See Table 3.7a, 3.7b, 3.7c and 3.7d for Mitigation.
IE0002162	River Barrow and River Nore	1095	<i>Petromyzon marinus</i>	To maintain the Annex I habitats for which the cSAC has been selected at favourable conservation status. Main Threats and Impacts: Obstructions, Impassible weirs, Groos Pollution, Specific Pollutants	See Tables 3.4a (for SACs) and 3.4b (for SPAs) regarding potential impacts.	None Identified	See Tables 3.4a (for SACs) and 3.4b (for SPAs) regarding potential impacts. See Tables 3.5a & 3.5b (for SACs) and Table 3.6 (for SPAs) for assessment of significance. See Table 3.7a, 3.7b, 3.7c and 3.7d for Mitigation.
		1096	<i>Lampetra planeri</i>	To maintain the Annex II species for which the cSAC has been selected at favourable conservation status. Main threats and Impacts: channel maintenance, barriers, Passage obstruction, Gross pollution and specific pollutants	See Tables 3.4a (for SACs) and 3.4b (for SPAs) regarding potential impacts.	None Identified	See Tables 3.4a (for SACs) and 3.4b (for SPAs) regarding potential impacts. See Tables 3.5a & 3.5b (for SACs) and Table 3.6 (for SPAs) for assessment of significance. See Table 3.7a, 3.7b, 3.7c and 3.7d for Mitigation.
		1099	<i>Lampetra fluviatilis</i>	To maintain the extent, species richness and biodiversity of the entire site.	See Tables 3.4a (for SACs) and 3.4b (for SPAs) regarding potential impacts.	None Identified	See Tables 3.4a (for SACs) and 3.4b (for SPAs) regarding potential impacts. See Tables 3.5a & 3.5b (for SACs) and Table 3.6 (for SPAs) for assessment of significance. See Table 3.7a, 3.7b, 3.7c and 3.7d for Mitigation.
		1103	<i>Alosa fallax</i>	To establish effective liaison and co-operation with landowners, legal users and relevant authorities. Main Threats and Impacts: Man-made barriers to migration, eutrophication, leisure fishing, drift netting	See Tables 3.4a (for SACs) and 3.4b (for SPAs) regarding potential impacts.	None Identified	See Tables 3.4a (for SACs) and 3.4b (for SPAs) regarding potential impacts. See Tables 3.5a & 3.5b (for SACs) and Table 3.6 (for SPAs) for assessment of significance. See Table 3.7a, 3.7b, 3.7c and 3.7d for Mitigation.
		1106	<i>Salmo salar</i>		See Tables 3.4a (for SACs) and 3.4b (for SPAs) regarding potential impacts.	None Identified	See Tables 3.4a (for SACs) and 3.4b (for SPAs) regarding potential impacts. See Tables 3.5a & 3.5b (for SACs) and Table 3.6 (for SPAs) for assessment of significance. See Table 3.7a, 3.7b, 3.7c and 3.7d for Mitigation.
		1102	<i>Alosa alosa</i>	Main Threats and Impacts: Man-made barriers to migration, eutrophication, leisure fishing, drift netting	See Tables 3.4a (for SACs) and 3.4b (for SPAs) regarding potential impacts.	None Identified	See Tables 3.4a (for SACs) and 3.4b (for SPAs) regarding potential impacts. See Tables 3.5a & 3.5b (for SACs) and Table 3.6 (for SPAs) for assessment of significance. See Table 3.7a, 3.7b, 3.7c and 3.7d for Mitigation.
		1355	<i>Lutra lutra</i>	Main Threats and Impacts: Use of pesticides, fertilization, removal of hedges and copses, removal of scrub, felling of native or mixed woodland, professional fishing (including lobster pots and fyke nets), hunting, trapping, poisoning, poaching, sand and gravel extraction, mechanical removal of peat, urbanised areas, human habitation, continuous urbanization, industrial or commercial areas, discharges, disposal of household waste, disposal of industrial waste, disposal of inert materials, other discharges, routes, autoroutes, bridge, viaduct, water pollution, other forms or mixed forms of pollution, infilling of ditches, dykes, ponds, pools, marshes or pits, drainage, management of aquatic and bank vegetation for drainage purposes, removal of sediments, canalization or modifying structures of inland water course	See Tables 3.4a (for SACs) and 3.4b (for SPAs) regarding potential impacts.	None Identified	See Tables 3.4a (for SACs) and 3.4b (for SPAs) regarding potential impacts. See Tables 3.5a & 3.5b (for SACs) and Table 3.6 (for SPAs) for assessment of significance. See Table 3.7a, 3.7b, 3.7c and 3.7d for Mitigation.
		1092	<i>Austropotamobius pallipes</i>		See Tables 3.4a (for SACs) and 3.4b (for SPAs) regarding potential impacts.	None Identified	See Tables 3.4a (for SACs) and 3.4b (for SPAs) regarding potential impacts. See Tables 3.5a & 3.5b (for SACs) and Table 3.6 (for SPAs) for assessment of significance. See Table 3.7a, 3.7b, 3.7c and 3.7d for Mitigation.
		1029	<i>Margaritifera margaritifera</i> (Incorporates the Nore <i>Margaritifera</i> catchment which will require additional measures from the Sub-Basin Plan)		See Tables 3.4a (for SACs) and 3.4b (for SPAs) regarding potential impacts.	None Identified	See Tables 3.4a (for SACs) and 3.4b (for SPAs) regarding potential impacts. See Tables 3.5a & 3.5b (for SACs) and Table 3.6 (for SPAs) for assessment of significance. See Table 3.7a, 3.7b, 3.7c and 3.7d for Mitigation.
		1990	<i>Margaritifera durrovensis</i> (Incorporates the Nore <i>Margaritifera</i> catchment which will require additional measures from the Sub-Basin Plan)		See Tables 3.4a (for SACs) and 3.4b (for SPAs) regarding potential impacts.	None Identified	See Tables 3.4a (for SACs) and 3.4b (for SPAs) regarding potential impacts. See Tables 3.5a & 3.5b (for SACs) and Table 3.6 (for SPAs) for assessment of significance. See Table 3.7a, 3.7b, 3.7c and 3.7d for Mitigation.
		1016	<i>Vertigo moulinsiana</i>	Main threats and impacts: Cultivation, Use of pesticides, Fertilisation, Grazing, Undergrazing, Forestry planting, Stock feeding, Burning, Peat extraction, Communications networks, Paths, tracks, Walking, horseriding and non-motorised vehicles, Water pollution, Landfill, land reclamation and drying out, Drainage, Modifying structures of inland water course	See Tables 3.4a (for SACs) and 3.4b (for SPAs) regarding potential impacts.	None Identified	See Tables 3.4a (for SACs) and 3.4b (for SPAs) regarding potential impacts. See Tables 3.5a & 3.5b (for SACs) and Table 3.6 (for SPAs) for assessment of significance. See Table 3.7a, 3.7b, 3.7c and 3.7d for Mitigation.
		1421	<i>Trichomanes speciosum</i>	Main Threats and Impacts: Collection of samples, Outdoor sport and leisure, Human disturbance in localities used for recreational purposes, Woodland clearance, Overgrazing, Natural processes such as wind felling of trees, Modifications to the hydrology of a site through afforestation, road development or hydro-electric engineering, Water pollution, Air pollution hydrocarbons, Global warming, Climate change.	See Tables 3.4a (for SACs) and 3.4b (for SPAs) regarding potential impacts.	None Identified	See Tables 3.4a (for SACs) and 3.4b (for SPAs) regarding potential impacts. See Tables 3.5a & 3.5b (for SACs) and Table 3.6 (for SPAs) for assessment of significance. See Table 3.7a, 3.7b, 3.7c and 3.7d for Mitigation.
		91A0	Old sessile oak woods with Ilex and Blechnum in British Isles	Main Threats and Impacts: inappropriate grazing levels and invasive species, clearance for agriculture or felling for timber, Planting of non-native conifers.	See Tables 3.4a (for SACs) and 3.4b (for SPAs) regarding potential impacts.	None Identified	See Tables 3.4a (for SACs) and 3.4b (for SPAs) regarding potential impacts. See Tables 3.5a & 3.5b (for SACs) and Table 3.6 (for SPAs) for assessment of significance. See Table 3.7a, 3.7b, 3.7c and 3.7d for Mitigation.
		91E0	Alluvial forests with Alnus	Main Threats and Impacts: Inappropriate grazing levels; invasive species;	See Tables 3.4a (for SACs)	None Identified	See Tables 3.4a (for SACs) and 3.4b (for SPAs) regarding potential impacts. See Tables 3.5a & 3.5b (for SACs) and Table 3.6 (for SPAs) for assessment of significance. See Table 3.7a, 3.7b, 3.7c and 3.7d for Mitigation.
		3260	Water courses of plain to montane levels with the Ranunculus-fluitantis and Callitriche-Batrachion vegetation		See Tables 3.4a (for SACs) and 3.4b (for SPAs) regarding potential impacts.	None Identified	See Tables 3.4a (for SACs) and 3.4b (for SPAs) regarding potential impacts. See Tables 3.5a & 3.5b (for SACs) and Table 3.6 (for SPAs) for assessment of significance. See Table 3.7a, 3.7b, 3.7c and 3.7d for Mitigation.

		1310 Salicornia and other annuals colonizing mud and sand	Main threats and impacts: Invasive Species, Erosion and accretion	See Tables 3.4a (for SACs) and 3.4b (for SPAs) regarding potential impacts.	None Identified	See Tables 3.4a (for SACs) and 3.4b (for SPAs) regarding potential impacts. See Tables 3.5a & 3.5b (for SACs) and Table 3.6 (for SPAs) for assessment of significance. See Table 3.7a, 3.7b, 3.7c and 3.7d for Mitigation.
		1330 Atlantic salt meadows (Glaucopuccinellietalia maritima)	Main threats and impacts: Invasive species, overgrazing, erosion and accretion	See Tables 3.4a (for SACs) and 3.4b (for SPAs) regarding potential impacts.	None Identified	See Tables 3.4a (for SACs) and 3.4b (for SPAs) regarding potential impacts. See Tables 3.5a & 3.5b (for SACs) and Table 3.6 (for SPAs) for assessment of significance. See Table 3.7a, 3.7b, 3.7c and 3.7d for Mitigation.
		1410 Mediterranean salt meadows (Juncetalia maritimi)	Main threats and impacts: Overgrazing, infilling and reclamation, invasive species, erosion	See Tables 3.4a (for SACs) and 3.4b (for SPAs) regarding potential impacts.	None Identified	See Tables 3.4a (for SACs) and 3.4b (for SPAs) regarding potential impacts. See Tables 3.5a & 3.5b (for SACs) and Table 3.6 (for SPAs) for assessment of significance. See Table 3.7a, 3.7b, 3.7c and 3.7d for Mitigation.
		4030 European dry heaths	Main threats and impacts: Agriculture, burning, sand and gravel extraction, urbanization, industrialization, acidification, tropospheric ozone and nitrogen enrichment caused by atmospheric deposition	See Tables 3.4a (for SACs) and 3.4b (for SPAs) regarding potential impacts.	None Identified	See Tables 3.4a (for SACs) and 3.4b (for SPAs) regarding potential impacts. See Tables 3.5a & 3.5b (for SACs) and Table 3.6 (for SPAs) for assessment of significance. See Table 3.7a, 3.7b, 3.7c and 3.7d for Mitigation.
		7220 Petrifying springs with tufa formation (Cratoneurion)		See Tables 3.4a (for SACs) and 3.4b (for SPAs) regarding potential impacts.	None Identified	See Tables 3.4a (for SACs) and 3.4b (for SPAs) regarding potential impacts. See Tables 3.5a & 3.5b (for SACs) and Table 3.6 (for SPAs) for assessment of significance. See Table 3.7a, 3.7b, 3.7c and 3.7d for Mitigation.
		6430 Hydrophilous tall herb fringe communities of plains and of the montane to alpine levels		See Tables 3.4a (for SACs) and 3.4b (for SPAs) regarding potential impacts.		See Tables 3.4a (for SACs) and 3.4b (for SPAs) regarding potential impacts. See Tables 3.5a & 3.5b (for SACs) and Table 3.6 (for SPAs) for assessment of significance. See Table 3.7a, 3.7b, 3.7c and 3.7d for Mitigation.
		1320 Spartina swards (Spartinion maritima)	Main threats and impacts: reclamation of mudflats and saltmarsh or coastal protection works	See Tables 3.4a (for SACs) and 3.4b (for SPAs) regarding potential impacts.		See Tables 3.4a (for SACs) and 3.4b (for SPAs) regarding potential impacts. See Tables 3.5a & 3.5b (for SACs) and Table 3.6 (for SPAs) for assessment of significance. See Table 3.7a, 3.7b, 3.7c and 3.7d for Mitigation.
		1140 Mudflats and sandflats not	Main Threats and Impacts: Aquaculture, professional fishing, bait digging,	See Tables 3.4a (for SACs)		See Tables 3.4a (for SACs) and 3.4b (for SPAs) regarding potential impacts. See Tables 3.5a &
		1130 Estuaries	Main Threats and Impacts: Professional fishing, taking for fauna, taking for flora, water pollution, climate change, change in species composition.	See Tables 3.4a (for SACs) and 3.4b (for SPAs) regarding potential impacts.	None Identified	See Tables 3.4a (for SACs) and 3.4b (for SPAs) regarding potential impacts. See Tables 3.5a & 3.5b (for SACs) and Table 3.6 (for SPAs) for assessment of significance. See Table 3.7a, 3.7b, 3.7c and 3.7d for Mitigation.