

Natura 2000 Site Code	KERRY BLACKWATER Natura 2000 Sites	Natura 2000 Site Qualifying features		Key Environmental conditions to support site integrity	Possible impacts arising from the Sub-Basin Plan	Is there a risk of: "In-combination" effects from the measures outlined in sub-basin plans; Possible Impacts from other Policy, Plans & Programmes (PPP); "In-combination" effects from the Draft Sub-Basin Plans & other PPPs?	Measure/Mitigation
IE000093	Caha Mountains SAC	1024	<i>Geomalacus maculosus</i>	To maintain the Annex I habitats for which the cSAC has been selected at favourable conservation status. Main Threats and Pressures: Agricultural improvement (reclamation), Use of pesticides, Overgrazing by sheep, Removal of scrub, General Forestry management, Artificial planting (gardens), Burning, Dispersed habitation, Routes / autoroutes, Air pollution, Invasion by a species (<i>Rhododendron ponticum</i>)	See Tables 3.4a (for SACs) and 3.4b (for SPAs) regarding potential impacts.	None Identified	See Tables 3.4a (for SACs) and 3.4b (for SPAs) regarding potential impacts. See Tables 3.5a & 3.5b (for SACs) and Table 3.6 (for SPAs) for assessment of significance. See Table 3.7a, 3.7b, 3.7c and 3.7d for Mitigation.
		1421	<i>Trichomanes speciosum</i>	To maintain the Annex II species for which the cSAC has been selected at favourable conservation status. Main Threats and Impacts: Collection of samples, Outdoor sport and leisure, Human disturbance in localities used for recreational purposes, Woodland clearance, Overgrazing, Natural processes such as wind felling of trees, Modifications to the hydrology of a site through afforestation, road development or hydro-electric engineering, Water pollution, Air pollution hydrocarbons, Global warming, Climate change.			
		7130	Blanket bog (*active only)	To maintain the extent, species richness and biodiversity of the entire site. Main Threats and Impacts: Overstocking, Wind Farms developments, Peat cutting, Afforestation, Burning, Land Reclamation for Agriculture, Trackway Erosion/Tourism, Motorised Vehicles and Increased Access, Climate Change			
		4060	Alpine and Boreal heaths	To establish effective liaison and co-operation with landowners, legal users and relevant authorities. Main Pressures and threats: Abandonment, overgrazing, burning, outdoor recreation, quarries, communication networks, wind farm developments.			
		8220	Siliceous rocky slopes with chasmophytic vegetation	Main Threats and Impacts: Overgrazing, Quarrying, Outdoor Recreation.			
		3130	Oligotrophic to mesotrophic standing waters with vegetation of the Littorelletea uniflorae and/or of the Isoëto-Nanojuncetea	Main Threats and Impacts: Fertilisation; Grazing; Forestry; Burning; Leisure fishing; Hunting; Peat extraction; Dispersed habitation; Discharges; Sport and leisure structures; Pollution; Drainage; Erosion; Invasive species.			
		3160	Natural dystrophic lakes and ponds				
		4010	Northern Atlantic wet heaths with <i>Erica tetralix</i>				
IE000343	Castlemaine Harbour SAC also comprises Castlemaine Harbour Ramsar Site	1106	<i>Salmo salar</i>	To maintain the Annex I habitats for which the cSAC has been selected at favourable conservation status.	See Tables 3.4a (for SACs) and 3.4b (for SPAs) regarding potential impacts.	None Identified	See Tables 3.4a (for SACs) and 3.4b (for SPAs) regarding potential impacts. See Tables 3.5a & 3.5b (for SACs) and Table 3.6 (for SPAs) for assessment of significance. See Table 3.7a, 3.7b, 3.7c and 3.7d for Mitigation.
		1095	<i>Petromyzon marinus</i>	To maintain the Annex II species for which the cSAC has been selected at favourable conservation status.			
		1099	<i>Lampetra fluviatilis</i>	To maintain the extent, species richness and biodiversity of the entire site. Main threats and Impacts: Channel maintenance, barriers, Passage obstruction, Gross pollution and specific pollutants			
		1355	<i>Lutra lutra</i>	To establish effective liaison and co-operation with landowners, legal users and relevant authorities. Main Threats and Impacts: Use of pesticides, fertilization, removal of hedges and copses, removal of scrub, felling of native or mixed woodland, professional fishing (including lobster pots and fyke nets), hunting, trapping, poisoning, poaching, sand and gravel extraction, mechanical removal of peat, urbanised areas, human habitation, continuous urbanization, industrial or commercial areas, discharges, disposal of household waste, disposal of industrial waste, disposal of inert materials, other discharges, routes, autoroutes, bridge, viaduct, water pollution, other forms or mixed forms of pollution, infilling of ditches, dykes, ponds, pools, marshes or pits, drainage, management of aquatic and bank vegetation for drainage purposes, removal of sediments, canalization or modifying structures of inland water course			
		1395	<i>Petalophyllum ralfsii</i>				
		2130	Fixed coastal dunes with herbaceous vegetation (grey dunes)	Main Threats and Impacts: Walking, horseriding & non-motorised vehicles, Erosion, grazing, undergrazing, invasion by a species, trampling, overuse, camping and caravans, agricultural improvement, stock feeding, overgrazing by cattle, motorised vehicles, paths, tracks, cycling routes, golf courses, overgrazing by hares, rabbits, small mammals, restructuring agricultural land holding, sea defence or coastal protection works, dispersed habitation, disposal of household waste, sand and gravel extraction, other pollution or human activities.			
		1210	Annual vegetation of drift lines				
		1220	Perennial vegetation of stony banks				
		2110	Embryonic shifting dunes	Main threats and Impacts: Erosion, Walking, horseriding and non-motorised			
		2120	Shifting dunes along the shoreline with <i>Ammophila arenaria</i> (white dunes)	Main threats and Impacts: Erosion, Walking, horseriding and non-motorised vehicles, Trampling, overuse, Sea defence or coastal protection works			
		2170	Dunes with <i>Salix repens</i> ssp. <i>argentea</i> (<i>Salix arenariae</i>)				
		2190	Humid dune slacks				
		1330	Atlantic salt meadows (<i>Glauco-Puccinellietalia maritima</i>)	Threats: Invasive species, overgrazing, erosion and accretion			
		1410	Mediterranean salt meadows	Threats: The most common impact in the current assessment period is over-			

		1130	Estuaries	Main Threats and Impacts: Professional fishing, taking for fauna, taking for flora, water pollution, climate change, change in species composition.			
		1140	Mudflats and sandflats not covered by seawater at low tide	Main Threats and Impacts: Aquaculture, professional fishing, bait digging, removal of fauna, aggregate extraction;(removal of beach material, industrialization, Port/Marina, communications networks, water pollution, reclamation of land, coastal protection works, invasion by a species			
		1310	Salicornia and other annuals colonizing mud and sand	Main threats and impacts: Invasive Species, Erosion and accretion			
		91e0	Alluvial forests with Alnus	Main Threats and Impacts: Inappropriate grazing levels; invasive species;			
		1320	Spartina swards (Spartinion maritimae)				
IE000353	Old Domestic Building, Dromore Wood SAC	1303	<i>Rhinolophus hipposideros</i>	To maintain the Annex I habitats for which the cSAC has been selected at To maintain the Annex II species for which the cSAC has been selected at favourable conservation status. To maintain the extent, species richness and biodiversity of the entire site. To establish effective liaison and co-operation with landowners, legal users and relevant authorities.	See Tables 3.4a (for SACs) and 3.4b (for SPAs) regarding potential impacts.	None Identified	See Tables 3.4a (for SACs) and 3.4b (for SPAs) regarding potential impacts. See Tables 3.5a & 3.5b (for SACs) and Table 3.6 (for SPAs) for assessment of significance. See Table 3.7a, 3.7b, 3.7c and 3.7d for Mitigation.
IE000365	Killarney National Park, Macgillycuddy's reeks and Caragh river Catchment SAC	1095	<i>Petromyzon marinus</i>	To maintain the Annex I habitats for which the cSAC has been selected at favourable conservation status.	See Tables 3.4a (for SACs) and 3.4b (for SPAs) regarding potential impacts.	None Identified	See Tables 3.4a (for SACs) and 3.4b (for SPAs) regarding potential impacts. See Tables 3.5a & 3.5b (for SACs) and Table 3.6 (for SPAs) for assessment of significance. See Table 3.7a, 3.7b, 3.7c and 3.7d for Mitigation.
		1096	<i>Lampetra planeri</i>	To maintain the Annex II species for which the cSAC has been selected at favourable conservation status. Main threats and Impacts: channel maintenance, barriers, Passage obstruction, Gross pollution and specific pollutants			
		1103	<i>Alosa fallax</i>	To maintain the extent, species richness and biodiversity of the entire site. Main Threats and Impacts: Man-made barriers to migration, eutrophication, leisure fishing, drift netting			
		1106	<i>Salmo salar</i>	To establish effective liaison and co-operation with landowners, legal users and relevant authorities.			
		1099	<i>Lampetra fluviatilis</i>	Main threats and Impacts: Channel maintenance, Barriers, Passage obstruction, Gross pollution and specific pollutants			
		1303	<i>Rhinolophus hipposideros</i>	Main Threats and Impacts: Loss of suitable summer and winter roosting sites due to the demolition or renovation of derelict buildings for human occupation, loss of commuting routes linking roosts to foraging sites, and loss of suitable foraging sites are the major threats to this species. The use of insecticides is also thought to have a negative effect on the lesser horseshoe bat. Habitat destruction such as felling of trees and scrub clearance are significant pressures. A number of references are made to the loss of roosts through deterioration of old buildings			
		1355	<i>Lutra lutra</i>	Main Threats and Impacts: Use of pesticides, fertilization, removal of hedges and copses, removal of scrub, felling of native or mixed woodland, professional fishing (including lobster pots and fyke nets), hunting, trapping, poisoning, poaching, sand and gravel extraction, mechanical removal of peat, urbanised areas, human habitation, continuous urbanization, industrial or commercial areas, discharges, disposal of household waste,disposal of industrial waste, disposal of inert materials, other discharges, routes, autoroutes, bridge, viaduct, water pollution, other forms or mixed forms of pollution, infilling of ditches, dykes, ponds, pools, marshes or pits, drainage, management of aquatic and bank vegetation for drainage purposes, removal of sediments,canalization or modifying structures of inland water course			
		1024	<i>Geomalacus maculosus</i>	Main Threats and Pressures: Agricultural improvement (reclamation), Use of pesticides, Overgrazing by sheep, Removal of scrub, General Forestry management, Artificial planting (gardens), Burning, Dispersed habitation, Routes / autoroutes, Air pollution, Invasion by a species (<i>Rhododendron ponticum</i>)			
		1029	<i>Margaritifera margaritifera</i> (Incorporates the Caragh/Capall/Owenreagh/Kerry Blackwater Margaritifera catchment which will require additional measures from the Sub Basin Plan)	Main Threats and Impacts: Agricultural improvement,fertilisation, overgrazing, restructuring agricultural holdings,general forestry management,stock feeding, leisure feeding, taking and removal of fauna, sand and gravel extraction,peat extraction, mines, discharges,urbanised areas, disposal of household waste, communication networks, energy transport, improved access to sites, sport and leisure structures, pollution, landfill, land reclamation, drainage, canalisation, flooding, dumping, depositing, erosion.			
		1065	<i>Euphydryas aurinia</i>				

		1421	<i>Trichomanes speciosum</i>	Main Threats and Impacts: Collection of samples, Outdoor sport and leisure, Human disturbance in localities used for recreational purposes, Woodland clearance, Overgrazing, Natural processes such as wind felling of trees, Modifications to the hydrology of a site through afforestation, road development or hydro-electric engineering, Water pollution, Air pollution hydrocarbons, Global warming, Climate change.			
		1833	<i>Najas flexilis</i>				
		3110	Oligotrophic waters containing very few minerals of sandy plains (<i>Littorelletalia uniflorae</i>).	Main Threats and Impacts: Eutrophication, Over - grazing, Afforestation, Peat Cutting, Alien species introduction			
		3130	Oligotrophic to mesotrophic standing waters with vegetation of the <i>Littorelletea uniflorae</i> and/or of the Isoëto-Nanojuncetea	Main Threats and Impacts: Fertilisation; Grazing; Forestry; Burning; Leisure fishing; Hunting; Peat extraction; Dispersed habitation; Discharges; Sport and leisure structures; Pollution; Drainage; Erosion; Invasive species.			
		3260	Water courses of plain to montane levels with the <i>Ranunculus fluitantis</i> and <i>Callitriche-Batrachion</i> vegetation				
		4010	Northern Atlantic wet heaths with <i>Erica tetralix</i>				
		4030	European dry heaths	Main threats and impacts: Agriculture, burning, sand and gravel extraction, urbanization, industrialization, acidification, tropospheric ozone and nitrogen enrichment caused by atmospheric deposition			
		5130	<i>Juniperus communis</i> formations				
		6130	Calaminarian grasslands of the				
		6410	<i>Molinia</i> meadows on calcareous, peaty or clayey-silt-laden soils (<i>Molinia caeruleae</i>)				
		7130	Blanket bog (*active only)	Main Threats and Impacts: Overstocking, Wind Farms developments, Peat cutting, Afforestation, Burning, Land Reclamation for Agriculture, Trackway Erosion/Tourism, Motorised Vehicles and Increased Access, Climate Change			
		91A0	Old sessile oak woods with <i>Ilex</i> and <i>Blechnum</i> in British Isles	Main Threats and Impacts: inappropriate grazing levels and invasive species, clearance for agriculture or felling for timber, Planting of non-native conifers.			
		91E0	Alluvial forests with <i>Alnus glutinosa</i> and <i>Fraxinus excelsior</i> (<i>Alno-Padion</i> , <i>Alnion incanae</i> , <i>Salicion albae</i>)	Main Threats and Impacts: inappropriate grazing levels; invasive species; clearance for agriculture or felling for timber; increased development.			
		91J0	<i>Taxus baccata</i> woods of the British Isles	Main Threats and Impacts: Grazing and Invasive Species			
		4060	Alpine and Boreal heaths	Main Pressures and threats: Abandonment, overgrazing, burning, outdoor recreation, quarries, communication networks, wind farm developments.			
		7150	Depressions on peat substrates of the <i>Rhynchosporion</i>				
IE001342	Cloonee and Inchiquin Loughs, Uragh Wood SAC	91A0	Old sessile oak woods with <i>Ilex</i> and <i>Blechnum</i> in British Isles	To maintain the Annex I habitats for which the cSAC has been selected at favourable conservation status. Main Threats and Impacts: inappropriate grazing levels and invasive species, clearance for agriculture or felling for timber, Planting of non-native conifers.	See Tables 3.4a (for SACs) and 3.4b (for SPAs) regarding potential impacts.	None Identified	See Tables 3.4a (for SACs) and 3.4b (for SPAs) regarding potential impacts. See Tables 3.5a & 3.5b (for SACs) and Table 3.6 (for SPAs) for assessment of significance. See Table 3.7a, 3.7b, 3.7c and 3.7d for Mitigation.
		3110	Oligotrophic waters containing very few minerals of sandy plains (<i>Littorelletalia uniflorae</i>)	To maintain the Annex II species for which the cSAC has been selected at favourable conservation status. Main Threats and Impacts: Eutrophication, Over - grazing, Afforestation, Peat Cutting, Alien species introduction			
		1303	<i>Rhinolophus hipposideros</i>	To maintain the extent, species richness and biodiversity of the entire site. Main Threats and Impacts: Loss of suitable summer and winter roosting sites due to the demolition or renovation of derelict buildings for human occupation, loss of commuting routes linking roosts to foraging sites, and loss of suitable foraging sites are the major threats to this species. The use of insecticides is also thought to have a negative effect on the lesser horseshoe bat. Habitat destruction such as felling of trees and scrub clearance are significant pressures. A number of references are made to the loss of roosts through deterioration of old buildings			
		1024	<i>Geomalacus maculosus</i>	To establish effective liaison and co-operation with landowners, legal users and relevant authorities. Main Threats and Pressures: Agricultural improvement (reclamation), Use of pesticides, Overgrazing by sheep, Removal of scrub, General Forestry management, Artificial planting (gardens), Burning, Dispersed habitation, Routes / autoroutes, Air pollution, Invasion by a species (<i>Rhododendron ponticum</i>)			
		1421	<i>Trichomanes speciosum</i>	Main Threats and Impacts: Collection of samples, Outdoor sport and leisure, Human disturbance in localities used for recreational purposes, Woodland clearance, Overgrazing, Natural processes such as wind felling of trees, Modifications to the hydrology of a site through afforestation, road development or hydro-electric engineering, Water pollution, Air pollution hydrocarbons, Global warming, Climate change.			
		1833	<i>Najas flexilis</i>				
		91A0	Old sessile oak woods with <i>Ilex</i> and <i>Blechnum</i> in British Isles	To maintain the Annex I habitats for which the cSAC has been selected at favourable conservation status. Main Threats and Impacts: inappropriate grazing levels and invasive species, clearance for agriculture or felling for timber, Planting of non-native conifers.			

IE001371	Mucksna Wood SAC			To maintain the Annex II species for which the cSAC has been selected at favourable conservation status. To maintain the extent, species richness and biodiversity of the entire site. To establish effective liaison and co-operation with landowners, legal users and relevant authorities.	See Tables 3.4a (for SACs) and 3.4b (for SPAs) regarding potential impacts.	None Identified	See Tables 3.4a (for SACs) and 3.4b (for SPAs) regarding potential impacts. See Tables 3.5a & 3.5b (for SACs) and Table 3.6 (for SPAs) for assessment of significance. See Table 3.7a, 3.7b, 3.7c and 3.7d for Mitigation.
IE001881	Maulagowna Bog SAC	7130	Blanket bog (*active only)	• To maintain the Annex I habitat for which the cSAC has been selected at favourable conservation status; Blanket bog (active) (25% area of the site) Main Threats and Impacts: Overstocking, Wind Farms developments, Peat cutting, Afforestation, Burning, Land Reclamation for Agriculture, Trackway Erosion/Tourism, Motorised Vehicles and Increased Access, Climate Change • To maintain the extent, biodiversity and species richness of the site • To establish effective liaison and co-operation with landowners, legal users	See Tables 3.4a (for SACs) and 3.4b (for SPAs) regarding potential impacts.	None Identified	See Tables 3.4a (for SACs) and 3.4b (for SPAs) regarding potential impacts. See Tables 3.5a & 3.5b (for SACs) and Table 3.6 (for SPAs) for assessment of significance. See Table 3.7a, 3.7b, 3.7c and 3.7d for Mitigation.
IE002098	Old Domestic Building, Askive Wood SAC	1303	<i>Rhinolophus hipposideros</i>	To maintain the Annex I habitats for which the cSAC has been selected at favourable conservation status. Main Threats and Impacts: Loss of suitable summer and winter roosting sites due to the demolition or renovation of derelict buildings for human occupation, loss of commuting routes linking roosts to foraging sites, and loss of suitable foraging sites are the major threats to this species. The use of insecticides is also thought to have a negative effect on the lesser horseshoe bat. Habitat destruction such as felling of trees and scrub clearance are significant pressures. A number of references are made to the loss of roosts through deterioration of old buildings To maintain the Annex II species for which the cSAC has been selected at favourable conservation status. To maintain the extent, species richness and biodiversity of the entire site. To establish effective liaison and co-operation with landowners, legal users and relevant authorities.	See Tables 3.4a (for SACs) and 3.4b (for SPAs) regarding potential impacts.	None Identified	See Tables 3.4a (for SACs) and 3.4b (for SPAs) regarding potential impacts. See Tables 3.5a & 3.5b (for SACs) and Table 3.6 (for SPAs) for assessment of significance. See Table 3.7a, 3.7b, 3.7c and 3.7d for Mitigation.
IE002158	Kenmare River SAC	1220	Perennial vegetation of stony banks	To maintain the Annex I habitats for which the cSAC has been selected at favourable conservation status.	See Tables 3.4a (for SACs) and 3.4b (for SPAs) regarding potential impacts.	None Identified	See Tables 3.4a (for SACs) and 3.4b (for SPAs) regarding potential impacts. See Tables 3.5a & 3.5b (for SACs) and Table 3.6 (for SPAs) for assessment of significance. See Table 3.7a, 3.7b, 3.7c and 3.7d for Mitigation.
		1330	Atlantic salt meadows (<i>Glauco-Puccinellietalia maritima</i>)	To maintain the Annex II species for which the cSAC has been selected at favourable conservation status. Threats: Invasive species, overgrazing, erosion and accretion			
		1410	Mediterranean salt meadows (<i>Juncetalia maritimi</i>)	To maintain the extent, species richness and biodiversity of the entire site. Threats: The most common impact in the current assessment period is overgrazing by cattle or sheep. There has been some minor losses of habitat during the current assessment period to infilling and reclamation.			
		1160	Large shallow inlets and bays	To establish effective liaison and co-operation with landowners, legal users and relevant authorities.			
		1170	Reefs	Main Threats and Impacts: Professional fishing, taking for fauna, taking for flora, water pollution, climate change, change in species composition.			
		8330	Submerged or partly submerged sea caves				
		2120	Shifting dunes along the shoreline with <i>Ammophila arenaria</i> (white dunes)	Main threats and Impacts: Erosion, Walking, horseriding and non-motorised vehicles, Trampling, overuse, Sea defence or coastal protection works			
		1230	Vegetated sea cliffs of the Atlantic and Baltic coasts				
		4030	European dry heaths	Main threats and impacts: Agriculture, burning, sand and gravel extraction,			
		2130	Fixed coastal dunes with	Main Threats and Impacts: Walking, horseriding & non-motorised vehicles,			
		6130	Calaminarian grasslands of the <i>Violetalia calaminariae</i>				
		1303	<i>Rhinolophus hipposideros</i>	Main Threats and Impacts: Loss of suitable summer and winter roosting sites due to the demolition or renovation of derelict buildings for human occupation, loss of commuting routes linking roosts to foraging sites, and loss of suitable foraging sites are the major threats to this species. The use of insecticides is also thought to have a negative effect on the lesser horseshoe bat. Habitat destruction such as felling of trees and scrub clearance are significant pressures. A number of references are made to the loss of roosts through deterioration of old buildings			

		1355	<i>Lutra lutra</i>	Main Threats and Impacts: Use of pesticides, fertilization, removal of hedges and copses, removal of scrub, felling of native or mixed woodland, professional fishing (including lobster pots and fyke nets), hunting, trapping, poisoning, poaching, sand and gravel extraction, mechanical removal of peat, urbanised areas, human habitation, continuous urbanization, industrial or commercial areas, discharges, disposal of household waste, disposal of industrial waste, disposal of inert materials, other discharges, routes, autoroutes, bridge, viaduct, water pollution, other forms or mixed forms of pollution, infilling of ditches, dykes, ponds, pools, marshes or pits, drainage, management of aquatic and bank vegetation for drainage purposes, removal of sediments, canalization or modifying structures of inland water course			
		1365	<i>Phoca vitulina</i>	Main Threats and Impacts: Recruitment failure, competition for resources,			
		1014	<i>Vertigo angustior</i>	Main Threats and Impacts: Cultivation, Use of pesticides, Fertilisation, Grazing, Abandonment of pastoral systems, undergrazing, Sand and gravel extraction, Stock feeding, Agriculture and forestry, Paths, tracks, Golf courses, Camping and caravans, Walking, horseriding and non-motorised vehicles, Motorised vehicles, drainage and erosion.			
IE002173	Blackwater River (Kerry) SAC	1106	<i>Salmo salar</i>	To maintain the Annex I habitats for which the cSAC has been selected at favourable conservation status.	See Tables 3.4a (for SACs) and 3.4b (for SPAs) regarding potential impacts.	None Identified	See Tables 3.4a (for SACs) and 3.4b (for SPAs) regarding potential impacts. See Tables 3.5a & 3.5b (for SACs) and Table 3.6 (for SPAs) for assessment of significance. See Table 3.7a, 3.7b, 3.7c and 3.7d for Mitigation.
		1303	<i>Rhinolophus hipposideros</i>	To maintain the Annex II species for which the cSAC has been selected at favourable conservation status. Main Threats and Impacts: Loss of suitable summer and winter roosting sites due to the demolition or renovation of derelict buildings for human occupation, loss of commuting routes linking roosts to foraging sites, and loss of suitable foraging sites are the major threats to this species. The use of insecticides is also thought to have a negative effect on the lesser horseshoe bat. Habitat destruction such as felling of trees and scrub clearance are significant pressures. A number of references are made to the loss of roosts through deterioration of old buildings Main threats and impacts:			
		1355	<i>Lutra lutra</i>	To maintain the extent, species richness and biodiversity of the entire site. Main Threats and Impacts: Use of pesticides, fertilization, removal of hedges and copses, removal of scrub, felling of native or mixed woodland, professional fishing (including lobster pots and fyke nets), hunting, trapping, poisoning, poaching, sand and gravel extraction, mechanical removal of peat, urbanised areas, human habitation, continuous urbanization, industrial or commercial areas, discharges, disposal of household waste, disposal of industrial waste, disposal of inert materials, other discharges, routes, autoroutes, bridge, viaduct, water pollution, other forms or mixed forms of pollution, infilling of ditches, dykes, ponds, pools, marshes or pits, drainage, management of aquatic and bank vegetation for drainage purposes, removal of sediments, canalization or modifying structures of inland water course			
		1029	<i>Margaritifera margaritifera</i> (Incorporates the Kerry Blackwater Margaritifera catchment which will require additional measures from the Sub Basin Plan)	To establish effective liaison and co-operation with landowners, legal users and relevant authorities. Main Threats and Impacts: Agricultural improvement, fertilisation, overgrazing, restructuring agricultural holdings, general forestry management, stock feeding, leisure feeding, taking and removal of fauna, sand and gravel extraction, peat extraction, mines, discharges, urbanised areas, disposal of household waste, communication networks, energy transport, improved access to sites, sport and leisure structures, pollution, landfill, land reclamation, drainage, canalisation, flooding, dumping, depositing, erosion.			
		1024	<i>Geomalacus maculosus</i>	Main Threats and Pressures: Agricultural improvement (reclamation), Use of pesticides, Overgrazing by sheep, Removal of scrub, General Forestry management, Artificial planting (gardens), Burning, Dispersed habitation, Routes / autoroutes, Air pollution, Invasion by a species (<i>Rhododendron ponticum</i>)			
		4030	European dry heaths	Main threats and impacts: Agriculture, burning, sand and gravel extraction, urbanization, industrialization, acidification, tropospheric ozone and nitrogen enrichment caused by atmospheric deposition			
IE002187	Drongawn Lough SAC	1150	Coastal lagoons	To maintain the Annex I habitats for which the cSAC has been selected at favourable conservation status. Main Threats and Impacts: Hunting, paths, tracks, improved access to site, outdoor sports leisure, water pollution, reclamation, drainage, modification of hydrography, management of water levels, eutrophication, accumulation of organic material.	See Tables 3.4a (for SACs) and 3.4b (for SPAs) regarding potential impacts.	None Identified	See Tables 3.4a (for SACs) and 3.4b (for SPAs) regarding potential impacts. See Tables 3.5a & 3.5b (for SACs) and Table 3.6 (for SPAs) for assessment of significance. See Table 3.7a, 3.7b, 3.7c and 3.7d for Mitigation.
				To maintain the Annex II species for which the cSAC has been selected at favourable conservation status.			
				To maintain the extent, species richness and biodiversity of the entire site.			
				To establish effective liaison and co-operation with landowners, legal users and relevant authorities.			